

## Author Index

- Abraham, W.C., Mason-Parker, S.E., Williams, J. and Dragunow, M.  
Analysis of the decremental nature of LTP in the dentate gyrus (30) 367
- Agui, H., see Tohdoh, N. (30) 381
- Arnauld, E., Arsaut, J., Tafani, J.-A.M. and Demotes-Mainard, J.  
Dopaminergic control of gene transcription during striatal ontogeny: *c-fos* induction by D1 receptor activation in the developing striosomes (30) 223
- Arsaut, J., see Arnauld, E. (30) 223
- Baetge, E.E., see Gribkoff, V.K. (30) 29
- Bain, D., see Lowenstein, P.R. (30) 169
- Barone, F.C., see Fan, L. (30) 125
- Barrón, S., Tusell, J.M. and Serratos, J.  
Effect of hexachlorocyclohexane isomers on calmodulin mRNA expression in the central nervous system (30) 279
- Basakin, F., see Li, Y.-P. (30) 106
- Baulieu, E.-E., see Guennoun, R. (30) 287
- Berman, S.A., see Didier, M. (30) 17
- Bird, G.S., see Donovan, D.M. (30) 327
- Bartsch, Ch., see Lobron, C. (30) 70
- Black, J.A., see Oh, Y. (30) 357
- Black, J.A., see Zur, K.B. (30) 97
- Blox, T.L., see Severynse, D.M. (30) 336
- Benner, M., see Zelenika, D. (30) 251
- Belfone, A., see Zhu, W. (30) 312
- Burbach, J.P.H., see Lopes da Silva, S. (30) 131
- Burgess, L.H., see O'Keefe, J.A. (30) 115
- Bursztajn, S., see Didier, M. (30) 17
- Butterworth, N., see Dragunow, M. (30) 393
- Carron, M.G., see Severynse, D.M. (30) 336
- Castro, M.G., see Lowenstein, P.R. (30) 169
- Chakrabarti, S., Law, P.-Y. and Loh, H.H.  
Neuroblastoma Neuro<sub>2A</sub> cells stably expressing a cloned  $\mu$ -opioid receptor: a specific cellular model to study acute and chronic effects of morphine (30) 269
- Chan, S.-O., see Chiu, F.-C. (30) 77
- Chiu, F.-C., Feng, L., Chan, S.-O., Padin, C. and Federoff, H.J.  
Expression of neurofilament proteins during retinoic acid-induced differentiation of P19 embryonal carcinoma cells (30) 77
- Cissold, P.M., see Lowenstein, P.R. (30) 169
- Clapietro, A.-M., see Severynse, D.M. (30) 336
- Cervol, P., see Lenkei, Z. (30) 53
- Cox, J.J., see Lopes da Silva, S. (30) 131
- Dahmen, J., see Zhu, W. (30) 312
- Dämgén, K., see Lobron, C. (30) 70
- Davis, R., see Li, Y.-P. (30) 106
- Demotes-Mainard, J., see Arnauld, E. (30) 223
- Desforges, M., see Séguin, D. (30) 242
- Didier, M., Berman, S.A., Lindstrom, J. and Bursztajn, S.  
Characterization of nicotinic acetylcholine receptors expressed in primary cultures of cerebellar granule cells (30) 17
- Donovan, D.M., Vandenberg, D.J., Perry, M.P., Bird, G.S., Ingersoll, R., Nanthakumar, E. and Uhl, G.R.  
Human and mouse dopamine transporter genes: conservation of 5'-flanking sequence elements and gene structures (30) 327
- Dragunow, M., Butterworth, N., Waldvogel, H., Faull, R.L.M. and Nicholson, L.F.B.  
Prolonged expression of Fos-related antigens, Jun B and TrkB in dopamine-denervated striatal neurons (30) 393
- Dragunow, M., see Abraham, W.C. (30) 367
- Dwyer, B.E., Nishimura, R.N. and Lu, S.-Y.  
Differential expression of heme oxygenase-1 in cultured cortical neurons and astrocytes determined by the aid of a new heme oxygenase antibody. Response to oxidative stress (30) 37
- Epstein, A.L., see Lowenstein, P.R. (30) 169
- Fan, L., Young, P.R., Barone, F.C., Feuerstein, G.Z., Smith, D.H. and McIntosh, T.K.  
Experimental brain injury induces expression of interleukin-1 $\beta$  mRNA in the rat brain (30) 125
- Faull, R.L.M., see Dragunow, M. (30) 393
- Federoff, H.J., see Chiu, F.-C. (30) 77
- Feng, L., see Chiu, F.-C. (30) 77
- Feuerstein, G.Z., see Fan, L. (30) 125
- Fiddes, R.J., see Guennoun, R. (30) 287
- Fournel, S., see Lowenstein, P.R. (30) 169
- Fujii, M., see Saijoh, K. (30) 301
- Furukawa, H., Kitamoto, T., Tanaka, Y. and Tateishi, J.  
New variant prion protein in a Japanese family with Gerstmann-Sträussler syndrome (30) 385
- Ghetti, B., see Lee, W.-H. (30) 259
- Goodman, S.R., see Ma, Y. (30) 176
- Gouézou, M., see Guennoun, R. (30) 287
- Gribkoff, V.K., Hammang, J.P. and Baetge, E.E.  
Reduced electrical excitability of PC12 cells deficient in GAP-43: comparison with GAP-43-positive cells (30) 29
- Grima, B., see Zelenika, D. (30) 251
- Guennoun, R., Fiddes, R.J., Gouézou, M., Lombès, M. and Baulieu, E.-E.  
A key enzyme in the biosynthesis of neurosteroids, 3 $\beta$ -hydroxysteroid dehydrogenase/ $\Delta^5$ - $\Delta^4$ -isomerase (3 $\beta$ -HSD), is expressed in rat brain (30) 287
- Hamajima, K., see Kawamoto, S. (30) 137
- Hamill, R.W., see Maguire-Zeiss, K.A. (30) 362
- Hammang, J.P., see Gribkoff, V.K. (30) 29
- Handa, R.J., see O'Keefe, J.A. (30) 115
- Harlan, R.E., see Lucas, L.R. (30) 181
- Hattori, S., see Kawamoto, S. (30) 137
- Heinemann, S., see Lobron, C. (30) 70
- Hernandez, M.-C., see Zhu, W. (30) 312
- Hersh, L.B., see Li, Y.-P. (30) 106
- Hu, B., see Senatorov, V.V. (30) 87
- Hu, X.-J. and Ticku, M.K.  
Chronic ethanol treatment upregulates the NMDA receptor function and binding in mammalian cortical neurons (30) 347
- Imaki, J., Yamashita, K., Yamakawa, A. and Yoshida, K.  
Expression of *jun* family genes in rat retinal cells: regulation by light/dark cycle (30) 48
- Ingersoll, R., see Donovan, D.M. (30) 327
- Israel, M.A., see Zhu, W. (30) 312
- Itoh, N., see Tagashira, S. (30) 233
- Jeske, A., see Lobron, C. (30) 70
- Jonk, L.J.C., see Lopes da Silva, S. (30) 131
- Jouet, M., Rosenthal, A. and Kenwright, S.  
Exon 2 of the gene for neural cell adhesion molecule L1 is alternatively spliced in B cells (30) 378
- Kashiba, H., Noguchi, K., Ueda, Y. and Senba, E.  
Coexpression of trk family members and low-affinity neurotrophin receptors in rat dorsal root ganglion neurons (30) 158
- Kawamoto, S., Uchino, S., Hattori, S., Hamajima, K., Mishina, M., Nakajima-Iijima, S. and Okuda, K.

- Expression and characterization of the  $\zeta 1$  subunit of the *N*-methyl-D-aspartate (NMDA) receptor channel in a baculovirus system (30) 137
- Kenwick, S., see Jouet, M. (30) 378
- Kitamoto, T., see Furukawa, H. (30) 385
- Kiyama, H., see Yao, G.L. (30) 373
- Kobayashi, T., see Saijoh, K. (30) 301
- Kondo, H., see Tanaka, O. (30) 1
- Kruijer, W., see Lopes da Silva, S. (30) 131
- Kumar, K. and Wu, X.-l.  
Expression of  $\beta$ -actin and  $\alpha$ -tubulin mRNA in gerbil brain following transient ischemia and reperfusion up to 1 month (30) 149
- Kuo, W.-L., see Zhu, W. (30) 312
- Kurschner, C. and Morgan, J.I.  
The cellular prion protein (PrP) selectively binds to Bcl-2 in the yeast two-hybrid system (30) 165
- Law, P.-Y., see Chakrabarti, S. (30) 269
- Lee, M.J., see Saijoh, K. (30) 301
- Lee, W.-H., Wang, G.-M., Lo, T., Triarhou, L.C. and Ghatti, B.  
Altered IGFBP5 gene expression in the cerebellar external germinal layer of weaver mutant mice (30) 259
- Lenkei, Z., Corvol, P. and Llorens-Cortes, C.  
The angiotensin receptor subtype AT1A predominates in rat forebrain areas involved in blood pressure, body fluid homeostasis and neuroendocrine control (30) 53
- Li, Y., see O'Keefe, J.A. (30) 115
- Li, Y.-P., Baskin, F., Davis, R., Wu, D. and Hersch, L.B.  
A cell type-specific silencer in the human choline acetyltransferase gene requiring two distinct and interactive E boxes (30) 106
- Li, Z.W., see Maguire-Zeiss, K.A. (30) 362
- Lin, P.X., see Sheng, H.Z. (30) 196
- Lindstrom, J., see Didier, M. (30) 17
- Llorens-Cortes, C., see Lenkei, Z. (30) 53
- Lo, T., see Lee, W.-H. (30) 259
- Lobron, C., Wevers, A., Dämgen, K., Jeske, A., Rontal, D., Birtsch, Ch., Heinemann, S., Reinhardt, S., Maelicke, A. and Schröder, H.  
Cellular distribution in the rat telencephalon of mRNAs encoding for the  $\alpha 3$  and  $\alpha 4$  subunits of the nicotinic acetylcholine receptor (30) 70
- Loh, H.H., see Chakrabarti, S. (30) 269
- Lombès, M., see Guennoun, R. (30) 287
- Lopes da Silva, S., Cox, J.J., Jonk, L.J.C., Kruijer, W. and Burbach, J.P.H.  
Localization of transcripts of the related nuclear orphan receptors COUP-TF I and ARP-1 in the adult mouse brain (30) 131
- Lowenstein, P.R., Fournel, S., Bain, D., Tomasec, P., Clissold, P.M., Castro, M.G. and Epstein, A.L.  
Simultaneous detection of amplicon and HSV-1 helper encoded proteins reveals that neurons and astrocytoma cells do express amplicon-borne transgenes in the absence of synthesis of virus immediate early proteins (30) 169
- Lu, S.-Y., see Dwyer, B.E. (30) 37
- Lucas, L.R. and Harlan, R.E.  
Cholinergic regulation of tachykinin- and enkephalin-gene expression in the rat striatum (30) 181
- Ma, Y., Zimmer, W.E., Riederer, B.M. and Goodman, S.R.  
The complete amino acid sequence for brain  $\beta$  spectrin ( $\beta$  fodrin): relationship to globin sequences (Mol. Brain Res. 18 (1993) 87–99) (BRESM 70581) (30) 176
- Maekawa, K., see Minami, M. (30) 203
- Maelicke, A., see Lobron, C. (30) 70
- Maguire-Zeiss, K.A., Li, Z.W., Shimoda, L.M.N. and Hamill, R.W.  
Calbindin D28k mRNA in hippocampus, superior temporal gyrus and cerebellum: comparison between control and Alzheimer disease subjects (30) 362
- Mason-Parker, S.E., see Abraham, W.C. (30) 367
- McIntosh, T.K., see Fan, L. (30) 125
- Minami, M., Maekawa, K., Yabuuchi, K. and Satoh, M.  
Double in situ hybridization study on coexistence of  $\mu$ -,  $\delta$ - and  $\kappa$ -opioid receptor mRNAs with preprotachykinin A mRNA in the rat dorsal root ganglia (30) 203
- Mishina, M., see Kawamoto, S. (30) 137
- Moniot, B., see Sans, N. (30) 177
- Morgan, J.I., see Kurschner, C. (30) 165
- Moskowitz, P.F. and Oblinger, M.M.  
Transcriptional and post-transcriptional mechanisms regulating neurofilament and tubulin gene expression during normal development of the rat brain (30) 211
- Nakajima-Iijima, S., see Kawamoto, S. (30) 137
- Nanthakumar, E., see Donovan, D.M. (30) 327
- Nelson, P.G., see Sheng, H.Z. (30) 196
- Nicholson, L.F.B., see Dragunow, M. (30) 393
- Nishimura, R.N., see Dwyer, B.E. (30) 37
- Noguchi, K., see Kashiba, H. (30) 158
- Oblinger, M.M., see Moskowitz, P.F. (30) 211
- Oh, Y., Sashihara, S., Black, J.A. and Waxman, S.G.  
 $\text{Na}^+$  channel  $\beta 1$  subunit mRNA: differential expression in rat spinal sensory neurons (30) 357
- Oh, Y., see Zur, K.B. (30) 97
- Ohta, M., see Tagashira, S. (30) 233
- Ojika, K., see Tohdoh, N. (30) 381
- O'Keefe, J.A., Li, Y., Burgess, L.H. and Handa, R.J.  
Estrogen receptor mRNA alterations in the developing rat hippocampus (30) 115
- Okuda, K., see Kawamoto, S. (30) 137
- Ozaki, K., see Tagashira, S. (30) 233
- Padin, C., see Chiu, F.-C. (30) 77
- Perry, M.P., see Donovan, D.M. (30) 327
- Pessac, B., see Zelenika, D. (30) 251
- Puelles, L., see Zhu, W. (30) 312
- Rassart, E., see Séguin, D. (30) 242
- Raymond, J., see Sans, N. (30) 177
- Reinhardt, S., see Lobron, C. (30) 70
- Riederer, B.M., see Ma, Y. (30) 176
- Rigolet, M., see Zhu, W. (30) 312
- Robinson, G.A.  
Axotomy-induced regulation of c-Jun expression in regenerating rat retinal ganglion cells (30) 61
- Rontal, D., see Lobron, C. (30) 70
- Rosenthal, A., see Jouet, M. (30) 378
- Rubenstein, J.L.R., see Zhu, W. (30) 312
- Saijoh, K., Saito, N., Lee, M.J., Fujii, M., Kobayashi, T. and Sumino, K.  
Molecular cloning of cDNA encoding a bovine selenoprotein P-like protein containing 12 selenocysteines and a (His-Pro) rich domain insertion, and its regional expression (30) 301
- Saito, N., see Saijoh, K. (30) 301
- Sakagami, H., see Tanaka, O. (30) 1
- Sans, N., Moniot, B. and Raymond, J.  
Distribution of calretinin mRNA in the vestibular nuclei of rat and guinea pig and the effects of unilateral labyrinthectomy: a non-radioactive in situ hybridization study (Mol. Brain Res. 28 (1995) 1–11) (BRESM 70917) (30) 177
- Sashihara, S., see Oh, Y. (30) 357
- Satoh, M., see Minami, M. (30) 203
- Schröder, H., see Lobron, C. (30) 70
- Séguin, D., Desforages, M. and Rassart, E.  
Molecular characterization and differential mRNA tissue distribution of mouse apolipoprotein D (30) 242
- Senatorov, V.V., Trudeau, V.L. and Hu, B.  
Expression of cholecystokinin mRNA in corticothalamic projecting neurons: a combined fluorescence in situ hybridization and retrograde tracing study in the ventrolateral thalamus of the rat (30) 87
- Senba, E., see Kashiba, H. (30) 158
- Serratos, J., see Barrón, S. (30) 279
- Severynse, D.M., Colapietro, A.-M., Box, T.L. and Caron, M.G.  
The human  $\text{D}_{1A}$  dopamine receptor gene promoter directs expression of a reporter gene to the central nervous system in transgenic mice (30) 336
- Sheng, H.Z., Lin, P.X. and Nelson, P.G.  
Combinatorial expression of immediate early genes in single neurons (30) 196
- Shimoda, L.M.N., see Maguire-Zeiss, K.A. (30) 362
- Smith, D.H., see Fan, L. (30) 125
- Sumino, K., see Saijoh, K. (30) 301
- Tafani, J.-A.M., see Arnould, E. (30) 223
- Tagashira, S., Ozaki, K., Ohta, M. and Itoh, N.  
Localization of fibroblast growth factor-9 mRNA in the rat brain (30) 233
- Tanaka, O., Sakagami, H. and Kondo, H.  
Localization of mRNAs of voltage-dependent  $\text{Ca}^{2+}$ -channels: four subtypes of  $\alpha 1$ - and  $\beta$ -subunits in developing and mature rat brain (30) 1
- Tanaka, Y., see Furukawa, H. (30) 385
- Tateishi, J., see Furukawa, H. (30) 385
- Tejani-Butt, S.M., see Xiao, Q. (30) 389

- Ticku, M.K., see Hu, X.-J. (30) 347
- Tohdoh, N., Tojo, S., Agui, H. and Ojika, K.  
Sequence homology of rat and human HCNP  
precursor proteins, bovine phosphatidyl-  
ethanolamine-binding protein and rat 23-  
kDa protein associated with the opioid-bind-  
ing protein (30) 381
- Tojo, S., see Tohdoh, N. (30) 381
- Tomasec, P., see Lowenstein, P.R. (30) 169
- Triarhou, L.C., see Lee, W.-H. (30) 259
- Trudeau, V.L., see Senatorov, V.V. (30) 87
- Tusell, J.M., see Barrón, S. (30) 279
- Uchino, S., see Kawamoto, S. (30) 137
- Ueda, Y., see Kashiba, H. (30) 158
- Uhl, G.R., see Donovan, D.M. (30) 327
- Vandenbergh, D.J., see Donovan, D.M. (30)  
327
- Waldvogel, H., see Dragunow, M. (30) 393
- Wang, G.-M., see Lee, W.-H. (30) 259
- Waxman, S.G., see Oh, Y. (30) 357
- Waxman, S.G., see Zur, K.B. (30) 97
- Wevers, A., see Lobron, C. (30) 70
- Williams, J., see Abraham, W.C. (30) 367
- Wu, D., see Li, Y.-P. (30) 106
- Wu, X.-l., see Kumar, K. (30) 149
- Xiao, Q., Yao, Y. and Tejani-Butt, S.M.  
Acute administration of  $\alpha$ -methyl-*para*-  
tyrosine alters levels of norepinephrine  
transporter mRNA in the rat brainstem (30)  
389
- Yabuuchi, K., see Minami, M. (30) 203
- Yamakawa, A., see Imaki, J. (30) 48
- Yamashita, K., see Imaki, J. (30) 48
- Yao, G.L. and Kiyama, H.  
Colchicine induces the GAP-43 gene ex-  
pression in rat hypothalamus (30) 373
- Yao, Y., see Xiao, Q. (30) 389
- Yoshida, K., see Imaki, J. (30) 48
- Young, P.R., see Fan, L. (30) 125
- Zelenika, D., Grima, B., Brenner, M. and Pes-  
sac, B.  
A novel glial fibrillary acidic protein mRNA  
lacking exon 1 (30) 251
- Zhu, W., Dahmen, J., Bulfone, A., Rigolet, M.,  
Hernandez, M.-C., Kuo, W.-L., Puelles, L.,  
Rubenstein, J.L.R. and Israel, M.A.  
Id gene expression during development and  
molecular cloning of the human Id-1 gene  
(30) 312
- Zimmer, W.E., see Ma, Y. (30) 176
- Zur, K.B., Oh, Y., Waxman, S.G. and Black,  
J.A.  
Differential up-regulation of sodium chan-  
nel  $\alpha$ - and  $\beta$ 1-subunit mRNAs in cultured  
embryonic DRG neurons following expo-  
sure to NGF (30) 97

